

Report Number: 16-078-0212

Account Number: 11035



7621 Whitepine Road, Richmond, VA 23237
Main 804-743-9401 • Fax 804-271-6446
www.waypointanalytical.com

Send To: DENALI WATER
12812 VALLEY VIEW ST
SUITE 9
GARDEN GROVE, CA 92845

Project : COLTON 3
AZ#0629

Lab Number : 56224

Sample Id : COLTON 3

REPORT OF ANALYSIS

Date Sampled: 3/16/2016 11:00:00

Date Received: 03/18/2016 00:00

Date Reported: 03/24/2016

PARAMETER	RESULT (%)	RESULT (mg/kg)	QUANTITATION LIMIT (mg/kg*)	ANALYST	ANALYSIS DATE/TIME	METHOD
Total Solids *	69.59	695900	100.0	JM	03/18/2016 14:44	SM-2540G
Moisture *	30.41		100.0	JM	03/18/2016 14:44	SM-2540G
Total Kjeldahl Nitrogen	2.54	25400	10.0	JM	03/21/2016 08:39	SM-4500-NH3C-TKN
Total Phosphorus	0.98	9810	100	KM	03/22/2016 08:22	SW-6010B
Total Potassium	0.40	3970	100	KM	03/22/2016 08:22	SW-6010B
Total Sulfur	0.49	4890	100	KM	03/22/2016 08:22	SW-6010B
Total Calcium	2.08	20800	100	KM	03/22/2016 08:22	SW-6010B
Total Magnesium	0.69	6880	100	KM	03/22/2016 08:22	SW-6010B
Total Sodium	0.07	722	100	KM	03/22/2016 08:22	SW-6010B
Total Iron		14800	100	KM	03/22/2016 08:22	SW-6010B
Total Aluminum		11000	100	KM	03/22/2016 08:22	SW-6010B
Total Manganese		279	5	KM	03/22/2016 08:22	SW-6010B
Total Copper		234	5	KM	03/22/2016 08:22	SW-6010B
Total Zinc		414	5	KM	03/22/2016 08:22	SW-6010B
Ammonia Nitrogen	0.28	2760	10.0	JM	03/21/2016 08:39	SM-4500-NH3C
Organic N	2.26	22640	10.0		03/21/2016 08:39	CALCULATION
Nitrate+Nitrite-N		289	2.00	JM	03/21/2016 08:40	SM-4500NO3F
Total Cadmium		<2.0	2.0	KM	03/22/2016 08:22	SW-6010B

All values are on a dry weight basis except as noted by asterisk. Detection limit on all N series is on a wet basis.

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

Debbie Holt

DENALI_004348

Report Number: 16-078-0212

Account Number: 11035



7621 Whitepine Road, Richmond, VA 23237
Main 804-743-9401 ° Fax 804-271-6446
www.waypointanalytical.com

Send To: DENALI WATER
12812 VALLEY VIEW ST
SUITE 9
GARDEN GROVE , CA 92845

Project : COLTON 3
AZ#0629

Lab Number : 56224

Sample Id : COLTON 3

REPORT OF ANALYSIS

Date Sampled: 3/16/2016 11:00:00

Date Received: 03/18/2016 00:00

Date Reported: 03/24/2016

PARAMETER	RESULT (%)	RESULT (mg/kg)	QUANTITATION LIMIT (mg/kg*)	ANALYST	ANALYSIS DATE/TIME	METHOD
Total Chromium		50	5	KM	03/22/2016 08:22	SW-6010B
Total Nickel		26	5	KM	03/22/2016 08:22	SW-6010B
Total Lead		31	5	KM	03/22/2016 08:22	SW-6010B
Total Arsenic		5.0	3.0	KM	03/22/2016 08:22	SW-6010B
Total Mercury		1.4	0.4	KM	03/22/2016 09:00	SW-7471A
Total Selenium		<5.0	5.0	KM	03/22/2016 08:22	SW-6010B
Total Molybdenum		5	5	KM	03/22/2016 08:22	SW-6010B

Comments:

SULFUR NOT FOR COMPLIANCE PURPOSES

QUALIFIER: THE MATRIX SPIKE WAS OUT OF LIMITS FOR "Cr", "Ni", AND "S". THE MSD WAS OUT OF LIMITS FOR "TKN". ALL OTHER QC DATA IS ACCEPTABLE.

All values are on a dry weight basis except as noted by asterisk. Detection limit on all N series is on a wet basis.

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

A handwritten signature in black ink, appearing to read "Debbie Holt".

Debbie Holt

DENALI_004349